GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – M.A. & U.D. Department – Allegations of Misappropriation and substandard execution of work for Road from NH5 to Jayaramachandrapuram in Palasa – Kasibugga Municipality of Srikakulam District against Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality – Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Article of Charges - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 862 **Dated: 10-09-2018.**

Read the following:-

1. From the Director General, G.A.(V&E) Department, Vigilance Report No.21 (C.No.895/V&E/E/2015), dated:31.03.2016.
2. G.O.Rt.No. 859, M.A. & U.D. (Vig.I) Dept., dated: 10.09.2018.

****

O R D E R:

It is proposed to hold an enquiry against Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The statement of articles of charges and statement of imputations of misconduct and misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures I&II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures III & IV.

3. Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality is directed to submit his written statement of his defense within (10) days from the date of receipt of this order.

4. Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality is further informed that if he does not submit his written statement of defence on or before the date specified in para (3) above, further action will be processed based on the material available.

6. Attention of Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality is invited to Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of

(PTO)

any matter dealt within these proceedings it will be presumed that above Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The Engineer-in-Chief (Public Health) A.P., Guntur is directed to furnish copies of documents as per Annexure-III to Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality.

8. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri S. Chiranjeevulu, Deputy Executive Engineer, Palasa-Kasibugga Municipality **through** the ENC (PH), AP, Guntur.
The Engineer-in-Chief (Public Health) A.P., Guntur.

Copy to:
The GA (V&E) Dept., AP, Vijayawada.
The Secretary to A.P.Vigilance Commission, 5th Block, A.P. Secretariat.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –I to G.O.Rt.No.862 MA&UD (Vig.I) Dept., Dated: 10.09.2018

LIST OF ARTICLES OF CHARGES FRAMED AGAINST SRI S. CHIRANJEEVULU, DEPUTY EXECUTIVE ENGINEER, PALASA-KASIBUGGA MUNICIPALITY.

Charge:

Sri S.Chiranjeevulu, while working as Deputy Executive Engineer, Palasa-Kasibugga Municipality has committed the following irregularities.

1. Executed substandard road work with SDBC and WMM layer provision.
2. QC tests not conducted and not maintained QC registers
3. Recommended for EOAT with false reason and without imposing LD's
4. Estimate proposed without verifying the existing Crust, Traffic volume on the road and SBC for retaining wall.

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –II to G.O.Rt.No.862 MA&UD (Vig.I) Dept., Dated: 10.09.2018

STATEMENT OF IMPUTATIONS OF MISBEHAVIOUR/MISCONDUCT IN SUPPORT TO THE CHARGES FRAMED AGAINST SRI S. CHIRANJEEVULU, DEPUTY EXECUTIVE ENGINEER, PALASA-KASIBUGGA MUNICIPALITY

***

Sri S.Chiranjeevulu, while working as Deputy Executive Engineer, Palasa-Kasibugga Municipality has committed the irregularities noted in the Annexure-I. By his above mentioned acts he has exhibited lack of integrity, devotion to duty and conduct unbecoming a member of service and thereby violated rule 3(1) and (2) of APCS (Conduct) Rules, 1964. For omission of this act, he is held responsible.

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –III to G.O.Rt.No.862 MA&UD (Vig.I) Dept., Dated: 10.09.2018

LIST OF DOCUMENTS RELIED UPON TO SUSTAIN THE CHARGES FRAMED AGAINST SRI S. CHIRANJEEVULU, DEPUTY EXECUTIVE ENGINEER, PALASA-KASIBUGGA MUNICIPALITY

***

1. GA (V&E) Department Report No.21, (C.No.895/V&E/E/2015), dt.31.03.2016.
2. Government Memo No.240671/Vig.I.1/2016-1, dt.25.10.2017.

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER

Annexure –IV to G.O.Rt.No.862 MA&UD (Vig.I) Dept., Dated: 10.09.2018

LIST OF WITNESS BY WHOM THE CHARGES FRAMED TO SUSTAIN AGAINST SRI S. CHIRANJEEVULU, DEPUTY EXECUTIVE ENGINEER, PALASA-KASIBUGGA MUNICIPALITY

***

-NIL-

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER